

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME						
CENTRE NUMBER		CANDIDATE NUMBER				
MATHEMATICS 0580/2						
Paper 2 (Extended)		October/November 2013				
		1 hour 30 minutes				
Candidates answer on the Question Paper.						
Additional Materia	als: Electronic calculator Tracing paper (optional)	Geometrical instruments				

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

If working is needed for any question it must be shown below that question.

Electronic calculators should be used.

If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place. For π , use either your calculator value or 3.142.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question. The total of the marks for this paper is 70.

This document consists of **12** printed pages.





© UCLES 2013

0580/23/O/N/13

5	Write				
	(a) 60 square metres in square centimetres,		Use		
		Answer(a) cm^2 [1]			
	(b) 22 metres per second in kilometres per hour.				
		Answer(b) km/h [2]			
6	In 2012 the cost of a ticket to an arts festival was \$30. This was 20% more than the ticket cost in 2011.				
	Calculate the cost of the ticket in 2011.				
		Answer \$ [3]			
7	The solutions of the equation $x^2 - 6x + d = 0$ are b d is a prime number.	ooth integers.			
	Find <i>d</i> .				
		Answer $d =$			

8	8 <i>m</i> varies directly as the cube of <i>x</i> . m = 200 when $x = 2$.		
	Find <i>m</i> when $x = 0.4$.		
	<i>Answer</i> $m =$		
9	(a) Expand and simplify $(a+b)^2$.		
	Answer(a)		
	(b) Find the value of $a^2 + b^2$ when $a + b = 6$ and $ab = 7$.		
	Answer(b) [1]		

4



© UCLES 2013









- (a) Construct the locus of all the points which are 3 cm from vertex A and outside the rectangle. [2]
- (b) Construct, using a straight edge and compasses only, one of the lines of symmetry of the rectangle. [2]

Answer(a) m^2 [4]

Answer(*b*) m³ [1]

(b) The tunnel is 50 m long.

Calculate the volume of water in the tunnel.

- 16 The diagram shows the entrance to a tunnel. The circular arc has a radius of 3 m and centre *O*. *AB* is horizontal and angle $AOB = 120^{\circ}$.
 - O 3 m A B NOT TO SCALE

For Examiner's Use 17 (p, q) is the image of the point (x, y) under this combined transformation.

$$\begin{pmatrix} p \\ q \end{pmatrix} = \begin{pmatrix} -1 & 0 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} + \begin{pmatrix} 3 \\ 2 \end{pmatrix}$$

(a) Draw the image of the triangle under the combined transformation.



For Examiner's Use



19	f(<i>x</i>)	=2x+3	$g(x) = x^2$	Fo Exami Us	r ner's se
	(a) (b)	Find fg(6).	Answer(a)	2]	
	(c)	Find $f^{-1}(x)$.	Answer(b) $x =$ or $x =$	[3]	
	(d)	Find ff ⁻¹ (5).	$Answer(c) f^{-1}(x) = \dots$	2]	
			Answer(d)	[1]	

12

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.